



Marine &amp; Offshore

Certificate number: 31749/C0 BV

File number: AP4350

Product code: 3843H

*This certificate is not valid when presented without the full attached schedule composed of 7 sections*

[www.veristar.com](http://www.veristar.com)

## TYPE APPROVAL CERTIFICATE

*This certificate is issued to*

**TRAFAG AG**

Bubikon - SWITZERLAND

*for the type of product*

**PRESSURE SWITCH**

Picostat PST4B 9B4 series

### Requirements:

Bureau Veritas Rules for the Classification of Steel Ships

EC Code: 33/43

*This certificate is issued to attest that Bureau Veritas Marine & Offshore did undertake the relevant approval procedures for the product identified above which was found to comply with the relevant requirements mentioned above.*

**This certificate will expire on: 27 Sep 2027**

**For Bureau Veritas Marine & Offshore,**

At BV HAMBURG, on 27 Sep 2022,

Dirk Hoepfner

***This certificate was created electronically and is valid without signature***



This certificate remains valid until the date stated above, unless cancelled or revoked, provided the conditions indicated in the subsequent page(s) are complied with and the product remains satisfactory in service. This certificate will not be valid if the applicant makes any changes or modifications to the approved product, which have not been notified to, and agreed in writing with Bureau Veritas Marine & Offshore. Should the specified regulations or standards be amended during the validity of this certificate, the product(s) is/are to be re-approved prior to it/they being placed on board vessels to which the amended regulations or standards apply. This certificate is issued within the scope of the General Conditions of Bureau Veritas Marine & Offshore available on the internet site [www.veristar.com](http://www.veristar.com). Any Person not a party to the contract pursuant to which this document is delivered may not assert a claim against Bureau Veritas Marine & Offshore for any liability arising out of errors or omissions which may be contained in said document, or for errors of judgement, fault or negligence committed by personnel of the Society or of its Agents in establishment or issuance of this document, and in connection with any activities for which it may provide.

The electronic version is available at: <http://www.veristarp.com/veristarnb/jsp/viewPublicPdfTypepec.jsp?id=g9hmxtxyz0>

BV Mod. Ad.E 530 June 2017

This certificate consists of 3 page(s)

## THE SCHEDULE OF APPROVAL

### 1. PRODUCT DESCRIPTION:

The **Picostat PST4B 9B4** series are bellows-type pressure switches.

#### **1.1 - Main characteristics:**

Pressure range: -0.6...4.0bar to 4.0...40bar  
 Output: change-over contact (silver or gold plated contacts)  
 Electrical connection: male electrical plug (DIN 43650-A), EN175301-803-A  
 Pressure connection: G1/8" female, G1/4" female, M10x1" female  
 Sensor material: bronze bellow  
 Housing material: aluminium alloy, stainless steel  
 Degree of protection: IP65

#### **1.2 - Variants:** (acc. to document H72367a)

Sensor Type: **9B4 . aa bb ccc dd ee**

**aa** = Microswitch: 42, 84  
**bb** = Pressure range: 74, 76, 77, 78, 79, 80, 81, G4, G6, G7, G8, G9, H0, H1  
**ccc** = Material: 769, 770, 771, 772 (aluminium); 753, 754 (stainless steel)  
**dd** = Pressure connection: 02, 03, 04  
**ee** = Accessories: 11, 46, 74, V3, 16, 88

#### **1.3 - Rating:**

Features of the Electrical Connection	Resistive Load (Inductive Load)	
	AC	DC
Silver contacts	250V / 6(1)A	220V / 0.25(0.1)A 110V / 0.5(0.2)A 60V / 1(0.5)A 24V / 3(2)A 12V / 6(6)A
Gold plated contacts	max. 30V / 0.1(0.1)A min. 5V / 5mA	

### 2. DOCUMENTS AND DRAWINGS:

- C14613 Rev. j dated 21.08.2022; C20784 Rev. r dated 21.09.2022; C11491 Rev. f dated 10.03.2017;  
 C31215 Rev. b dated 26.02.2008; H72367q dated 02/2019

### 3. TEST REPORTS:

- Trafag AG: V-11140 dated 20.06.2012; V-12077 dated 05.10.2012

### 4. APPLICATION/LIMITATION:

4.1 - Bureau Veritas Rules for the Classification of Steel Ships  
 4.2 - Approval valid for ships intended to be granted with the following additional class notations: **AUT-UMS, AUT-CCS, AUT-PORT and AUT-IMS**.  
 4.3 - Bureau Veritas Environmental Category, **EC Code: 33/43**  
 4.4 - Bureau Veritas Rules: Part C, Ch 1, Sec 10 apply for pressurized parts made of aluminium or aluminium alloys if they are used in piping systems for flammable liquids or fire-extinguishing systems.

### 5. PRODUCTION SURVEY REQUIREMENTS:

5.1 - The above mentioned product is to be supplied by **TRAFAG AG** in compliance with the type described in this certificate.  
 5.2 - This type of product is within the category HBV of Bureau Veritas Rule Note NR320 and as such does not require a BV product certificate.  
 5.3 - **TRAFAG AG** has to make the necessary arrangements to have its works recognised by Bureau Veritas in compliance with the requirements of NR320 for HBV products.

**TRAFAG s.p.o.l.**  
**Villemovska 2129**  
**CZ-34701 Tachov**  
**CZECH REPUBLIC**

**6. MARKING OF PRODUCT:**

- Maker's name or trademark
- Equipment type or model identification
- Date of manufacture and/or serial number

**7. OTHERS:**

7.1 - It is the responsibility of **TRAFAG AG - SWITZERLAND** to inform shipbuilders or their sub-contractors of the proper methods of fitting, use and general maintenance of the approved equipment and the conditions of this approval.

7.2 - This certificate supersedes the Type Approval Certificate N° 31749/B0 BV issued on 19 Oct 2017 by the Society.

\*\*\* END OF CERTIFICATE \*\*\*